



PRECISION MANUFACTURING

Pivot Point Manufacturing  
3161 Putnam Blvd., Pleasant Hill, CA 94523

916-775-5712

# Pediatric AFO RWrap

## PATIENT

Last name: \_\_\_\_\_

First Initial: \_\_\_\_\_

Patient ID: \_\_\_\_\_  N  W

Bilateral  Left only  Right only

Practitioner: \_\_\_\_\_ Please change to *your* name if necessary.

Facility: \_\_\_\_\_

## FINISHED BRACE ANGLES

### ANKLE ALIGNMENT (Dorsiflexion-Plantarflexion)


Correct to 3-4° DF  Correct to \_\_\_\_\_ °  DF  Do not correct  
 PF (Cast alignment OK)

### HINDFOOT ALIGNMENT

Correct to vertical (if misaligned)  Do not correct

### FOREFOOT ALIGNMENT NOTE: Drawings show finished orthosis.

Choose forefoot alignment. Write posting height - in mm - if needed.



## PLASTIC • PADDING

Note: If you don't choose an option, you will receive the Standard.

### Plastic:

PolyPro  CoPoly

Full AFO Lining: (Calf pad omitted)  3/16 Thickness is **Standard**

Aliplast  Plastizote  No lining  Other Thickness: \_\_\_\_\_

### Lining and Pads:

No Calf Pad **Standard**  Calf Pad  
 Medial Malleolus  Banana Pad  
 Lateral Malleolus  Toe Pad

### Straps:

Tibial Strap  Standard instep strap  
**Standard**  Above Ankle Standard

Strap Color: **White is Standard** \_\_\_\_\_

### Transfer Pattern:

### Footplate:

To sulcus  Full Footplate  PreMet

## SPECIAL INSTRUCTIONS

## CONSTRUCTION • FEATURES • OPTIONS

ALL MEASUREMENTS MUST BE IN MM

### LEGEND

- A1: BRACE LENGTH
- A2: BRACE HEIGHT
- A3: CALF CIRCUMFERENCE
- A4: CALF ML
- A5: CALF HEIGHT
- A6: NARROWEST ANKLE CIRC.
- A7: NARROWEST ANKLE ML
- A8: NARROWEST ANKLE HEIGHT
- B1: ANKLE ML
- B2: ANKLE HEIGHT
- B4: 1ST MET CIRCUMFERENCE
- B5: 1ST MET ML
- B6: MID-ARCH
- B8: DIAGONAL HEEL CIRC.
- B9: DIAGONAL HEEL AP

